


tattoo

the thermal transfer card printer

The monochrome
plastic card printer



1.800.808.7472

↓	↓	≡			
Monochrome Thermal Transfer	300 dpi	Single-Sided	7 s/card	100 cards	0.25-0.76 mm (10-30 mil)

PlasticPrinters.com
Plastic Cards & Card Printers



Hi-Tech design, compactness and ease of use, the Tattoo revolutionizes the world of monochrome printing on plastic cards.

In a few seconds, the Tattoo personalizes your pre-printed or blank plastic cards. It prints your high resolution texts, barcodes, graphics and logos.

Representing the ideal for visitor badges, loyalty cards, subscription cards, and much more, the Tattoo can be integrated in all types of environment: offices, bank receptions, shop counters. The Tattoo is today the most compact of all plastic card printers.

A mixture of technology and innovation, the Tattoo offers a double loading mode: card by card manual feeding (card introduced at the front) and automatic feeding thanks to its 100 card feeder. This detachable and completely enclosed feeder makes it possible to prepare several series of cards and to guarantee an optimal printing quality.

Tattoo, the small revolution!



Print mode

- Monochrome thermal transfer
- Line mode for text, barcode, graphic and logo printing or diffusion mode for photo printing

Printer specifications

- Integrated ribbon saver for monochrome printing
- Automatic card thickness adjustment

Print speed

- 500 cards/hour

Resolution

- 300 dpi (11.8 dots/mm)

Windows™ drivers

- For Windows™ 95, 98, Me, NT 4.0, 2000 and Xp

Warranty

- Printer: 1 year
- Print head: 1 year, unlimited number of prints¹

Ribbon types

- Black, blue, red and green monochrome ribbons: 600 cards/roll
- White, gold, silver and scratch-off monochrome ribbons: 500 cards/roll
- BlackWAX monochrome ribbon (for ABS, special varnished plastic cards and paper cards): 600 cards/roll

Card loading modes

- Automatic with feeder and/or hand-feed

Options

- Serial port (available upon study)
- 100-card additional feeder
- Backpack for demonstration
- Cleaning kit

Other printer model

- Tattoo Mag
Printer with HICO / LOCO magnetic stripe encoder - ISO 7811

¹ - Clause governing the use of Evolis ribbons

Card types

PVC, Composite PVC, PET, ABS, special varnished plastic cards and paper cards

Card format

ISO CR-80 - ISO 7810 (53.98 mm x 85.60 mm - 3.375" x 2.125")
Maximum print area: 52 mm x 83 mm (2.04" x 3.26")

Card thickness

From 0.25 mm (10 mil) to 0.76 mm (30 mil)

Card feeder capacity

300 cards (0.25 mm - 10 mil) - 100 cards (0.76 mm - 30 mil)

Resident barcodes

Code 39, Code 2/5 interleaved

Resident fonts

Arial normal 100, Arial bold 100

Printer size

Height: 166 mm (6.53") - Width: 290 mm (11.42") - Depth: 187 mm (7.36")

Printer weight

2,5 Kg (5.5 lbs)

Connections

USB and Centronics parallel ports (cables supplied)

Electrical

110~230 Volts CA, 60~50 Hertz

Environmental

- Min / max operating temperatures: 15° / 30° C (59° / 86° F)
- Humidity: 20% to 65% non-condensing
- Min / max storage temperatures: -5° / +70° C (23° / 158° F)
- Storage humidity: 20% to 70% non-condensing
- Operating ventilation: free air

Plasticprinters.com
Plastic Cards and Card Printers

745 Spiral Blvd. Hastings, MN 55033
www.plasticprinters.com - 800-808-7472



the thermal transfer card printer

Evolis Plastic Card Printers

Plasticprinters.com Discount Price List in U.S. Dollars

Tattoo Monochrome Card Printer Range – Single sided printing

Reference		Product Description	Discount Price
Printer	Interfaces ¹		
E2001 BASIC	U	Tattoo <i>Basic printer without option, USB and Centronics parallel</i>	1540
E2002 MAG	U	Tattoo Mag <i>Printer with Dual HICO/LOCO Magnetic Stripe Encoder, USB and Centronics parallel</i>	1890

¹ Interfaces: U = USB and Centronics parallel, S = Serial. The printer interface must be specified after the printer part number. The Tattoo printer is delivered as standard with USB and Centronics parallel interfaces. If no interface is specified when placing the order, the interfaces by default will be USB and Centronics parallel. Note: the printer interface cables are included in all shipments. Example: the part number E2001U is a Tattoo printer fitted with the USB and Centronics parallel ports.

Software

Part Number	Product Description	Discount Price
L8001	eMedia PRO Software <i>Card Design and Editing Software for plastic cards with connection to databases. Compatible with all Evolis printers</i>	730
L8002	eMedia Standard Software <i>Card Design and Editing Software for plastic cards for Evolis Tattoo and Evolis Quantum Printers</i>	80

Tattoo Media

Reference	Product Description	Discount Price
Monochrome Ribbons		
R2211	Black Monochrome Ribbon <i>600 cards/roll</i>	8.6
R2212	Blue Monochrome Ribbon <i>600 cards/roll</i>	21
R2213	Red Monochrome Ribbon <i>600 cards/roll</i>	21
R2214	Green Monochrome Ribbon <i>600 cards/roll</i>	21
R2215	White Monochrome Ribbon <i>500 cards/roll</i>	23
R2216	Gold Monochrome Ribbon <i>500 cards/roll</i>	37
R2217	Silver Monochrome Ribbon <i>500 cards/roll</i>	37
R2218	Scratch Off Monochrome Ribbon <i>500 cards/roll</i>	26
R2219	BlackWAX Monochrome Ribbon (for ABS, special varnished plastic cards or cardboard) <i>600 cards/roll</i>	8.6
Accessories		
A5230	Bag <i>Backpack for demonstration – available in jeans blue (equipped with protective internal foams)</i>	110
S2304	Additional Card Feeder Kit <i>Feeder with a capacity of 100 cards (0.76 mm – 30 mil)</i>	50



Plasticprinters.com
745 Spiral Blvd.
Hastings, MN 55033
1.800.808.7472